



Jour various sections STS and MAR Mengolia



Erdenes Crictical Minerals LLC		

Lab Ref

UB116852

Client Ref. Lot18-20 bor undur

Status Final

Received 9/2

9/26/2025 9/28/2025

Reported

3

First Sample gongzhan lot-18 dry (9-17)50W

Last Sample shanxi yanping lot-20 dry (9-20)50W

Pages

1

ANALYTICAL REPORT

	H20	Fe	S	Al2O3	SiO2	TiO2	P
METHOD	PHYOAD	GB/T 6730.5- 2007	1SO 4689- 3:2017	ISO 9516- 1:2003	ISO 9516- 1:2003	ISO 9516- 1:2003	ISO 9516- 1:2003
LDETECTION	0.01	1	0.005	0.01	0.01	0.01	0.01
LIDETECTION	0	75	30	100	100	100	/0
UNITS	%	%	%	%	%	%	%
shanxi yanping lot-20 dry (9-20)50W	0.52	52.91	0.041	1.07	9.75	0.04	0.02

Signature

SGS-IMME Mongoila LLC

SGS-IMME Mongolia LLC is accredited by MNAS and conforms to the requirements of MNS ISO/IEC 17025 the laboratory opercheming are accredited to ISO9001:2008 The sample was not drawn by the laboratory and this report is not used for L/C negotiation. The test report would be invalid if reproduced, except in full, without written approval of the Company Different opinions about test report should be reported to us within 15 days from the date of receiving the test report.

This document is issued by the Company under its General Conditions of Services accessible at http://www.sgs.com/en/serms-and-conditions aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued definestherein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the lemits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a translation from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS-IMAIF Mongolia LLC Uildveriin toirog 101, 29th khoroe. Bayangol district, Ulasabaatar, Mongolia 17060 ±+976 7272 7878 ±±+976 7017 8599